

FICHA TÉCNICA

**TESTER CCTV
TST-VIV7W**



DESCRIPCIÓN



NEW 4.3 Inch Four in One Wrist HD CCTV tester Monitor
TST-VIV7W 5MP AHD , 4MP CVI , TVI CVBS Camera
Tester 1080P 960P 720P PTZ UTP Cable Tester 12V
Output

Display: 4.3" TFT Color LCD

Image Resolution: 480x272

Video in: Video in x 1

Power out: DC power out x 1 ;(AHD+TVI+CVBS camera
Of power source/Max electric currenncy 800mA)

System Format: PAL/NTSC

Status Indicator: 4 LED, Power IND=Red Charging
IND=Red, 1

Features:

Terminal and DC power supply, palm size, easy to carry and operate.

Through DC power out enables user to inspect; correct camera or confirm installation. It is convenient for video equipment that helps communication and discussion with clients during installation process.

With ADSL Detection Function.

Model: TST-VIV7W

New version 4.3" HD camera tester CCTV camera tester monitor 12V 1A output Support 5MP/4MP Hikvision

Coaxial Testing, Support 5MP/4MP AHD Camera Testing.

Support TVI Cameras: 5MP, 4MP, 3MP, 1080P, 720P;

Support AHD Cameras: 5MP, 4MP, 3MP, 1080P, 720P;

Support CVI Cameras: 1080P, 720P;

Analog cameras=video testing updated model

FICHA TÉCNICA

*TESTER CCTV
TST-VIV7W*



1. Video System: NTSC/PAL automatically recognize

Video level: 1VPP

Display screen: 4.3 inch LCD RGB 480 * 272 (QVGA) resolution, 64K color

Screen adjustment: Video display brightness, contrast, color saturation adjustable, LCD backlight brightness adjustable

Video input / output: 1 channel BNC Video IN

2. HD AHD , TVI Test

SD signal Format: NTSC, PAL

Video signal: HD AHD, TVI, CVI, CVBS

Resolution: D1, 720P, 960p, 1080P, 3MP, 4MP, 5MP

MAX Support 5MP, 4MP AHD 20FPS; 5MP 4MP TVI 20FPS

Signal Level: 1Vpp

3. 12V power output

Power output:

Temporary power output 12V 1A D

USBX15V1A output

4. Audio test

Audio test: Input audio signal, and played on the internal speaker

5. Power supply

External power supply: DC 5V (2A)

Battery-powered: Built-in 3.7V li-polymer battery, Capacity 2600mAh

Charge: Charge time 3-4 hours Battery power time 8 hours

Power saving features: Low power consumption, automatic power off, Real-time display of battery level

6. System settings

Language settings: English

Auto power off: Disable / 5-60 minutes

7. Cable test

Cable test: Test any two or more wire cable Display connect sequence and remote number

LED Light: 1*35lm LED light

Working environment and Specifications: -20°C---+70°C/30%-90%R

FICHA TÉCNICA

TESTER CCTV
TST-VIV7W



- Packing List:
- HD AHD+TVI+CVI+CVBS CCTV Tester x 1
 - AC/DC Adapter x 1
 - Power Output Cable x 1
 - Transformer x 1
 - A/V Cable x 1
 - Video Cable x 1
 - Date Cable x 1
 - Wristbands x 1

